

Fields to be used in templates

This section contains a list of all fields you can currently use in templates.

Notation: List<Person> = a list of values with the type Person,

Project Metadata

Prefix: `metadata.`

(e.g. `metadata.title` prints the book title)

Field	Type (string/number/list/type/ bool)	Optional (true/false)	Description
title	string	false	Project title
subtitle	string	true	Project subtitle
authors	List<PersonOrString>	false (but may be empty)	List of all authors, either added to the project or to one of the (sub)sections
editors	List<PersonOrString>	false (but may be empty)	List of all editors, either added to the project or to one of the (sub)sections
web_url	string	true	URL to a web version of this project (e.g. blog symposium)
identifiers	List<Identifier>	true	List of identifiers, e.g. ISBNs, DOIs, etc.
published	DetailedDate	true	publish date
languages	List<Language>	true	project language(s)
number_of_pages	number	true	currently not used
short_abstract	string	true	short abstract / content summary
long_abstract	string	true	long abstract / content summary

keywords	List<Keyword>	true	List of keywords with optional gnd identifier
ddc	string	true	DDC class
license	License	true	License of the publication - either Creative Commons or a custom license. Variants: • CC0 • CC_BY_4 • CC_BY_SA_4 • CC_BY_ND_4 • CC_BY_NC_4 • CC_BY_NC_SA_4 • CC_BY_NC_ND_4 • other (contains a string)
series	string	true	Series this publication belongs to
volume	string	true	Volume this publication belongs to
edition	string	true	Edition of this publication
publisher	string	true	Publisher of this publication

PersonOrString

One of these variants:

- Person -> type Person
- NameString -> type String

Person

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
id	string	true	internal unique id
first_names	string	true	one or more first names
last_names	string	false	one or more last names
orcid	Identifier	true	ORCID (Open Researcher and Contributor ID)
gnd	Identifier	true	GND (Gemeinsame Normdatei)

bios	List<Biography>	true	list of biographies for this person, with specified language
ror	Identifier	true	ROR (Research Organization Registry ID)

Identifier

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
id	string	true	internal unique id
name	string	false	custom name of the identifier (e.g. "ebook ISBN)
value	string	false	value of the identifier (e.g. the ISBN)
identifier_type	IdentifierType	false	Identifier Type - one of these variants: • DOI • ISBN • ISSN • URL • URN • ORCID • ROR • GND • Other (contains a string)

Language

One of these variants:

- DE
- EN

Biography

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
content	string	false	the biography
lang	Language	true	language of the biography

Keyword

Field	Type (string/number/list/type/ bool)	Optional (true/false)	Description
title	string	false	the keyword
gnd	Identifier	true	GND belonging to this keyword

DetailedDate

Field	Type (string/number/list/type/ bool)	Optional (true/false)	Description
year	number	false	the year
month	number	true	month as number without leading zero
month_leading_zero	string	true	month as string with leading zero
month_name	MonthName	true	Matches one of these variants: • january • february • march • april • may • june • july • august • september • october • november • december
day	number	true	day as number without leading zero
day_leading_zero	string	true	day as string with leading zero

day_weekday	Weekday	true	Matches one of these variants: • monday • tuesday • wednesday • thursday • friday • saturday • sunday
-------------	---------	------	---

Project Settings

Prefix: `settings.`
(e.g. `settings.cover_image_path`)

Note: settings is an optional field

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
toc_enabled	bool	false	Whetether a table of contents should be shown
csl_style	string	true	name of the enabled csl (citation style language)
csl_language_code	string	true	used language code for csl
metadata_page_additional_html	string	true	Information to be shown on the metadata/imprint page
cover_image_path	string	true	filename of the cover image. You can include the image with <code></code>
backcover_image_path	string	true	filename of the backcover image. You can include the image with <code></code>

Project Contents

`sections` is a **List of Sections**.

Example to print all section titles:

```
{{#each sections}}  
<h1>{{metadata.title}}</h1>  
{{/each}}
```

Section

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
id	string	false	unique section id
sub_sections	List<Section>	false (but can be empty)	a (nested) list of sections
children	List<ContentBlock>	false (but can be empty)	content blocks of this section
metadata	SectionMetadata	false	Metadata of this section
visible_in_toc	bool	false	whether this section should be shown in the toc
endnotes	List<Endnote>	false (but can be empty)	list of endnotes used in this section

ContentBlock

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
id	string	false	unique content block id
block_type	BlockType	false	BlockType variants: • Paragraph • Heading • Raw • List • Quote • Image
html	string	false	content of this block as html

SectionMetadata

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
title	string	false	title of this section
toc_title_subtitle_override	string	true	optional version of the title + subtitle for the table of contents
subtitle	string	true	subtitle of this section
authors	List<PersonOrString>	false (but can be empty)	authors of this section
editors	List<PersonOrString>	false (but can be empty)	editors of this section
web_url	string	true	url to web version of this section (e.g. blog post)
identifiers	List<Identifier>	false (but can be empty)	identifiers of this section (e.g. chapter doi)
published	DetailedDate	true	date the section was published
lang	Language	false	language of this section

Endnote

Field	Type (string/number/list/type/bool)	Optional (true/false)	Description
num	number	false	number of the endnote in this section
id	string	false	unique id of the endnote
content	string	false	formatted endnote as html